

## Contents

1 Nomenclature of Carbohydrates

v Graphical Abstracts

### Regular Papers

- |   |     |  |
|---|-----|--|
| <b>K.M. Koshy and J.M. Boggs (Toronto, Canada)</b>  | 93  | The effect of anomerism and hydration on the C–O–S vibrational frequency of D-galactose-3-sulfate determined by FTIR spectroscopy  |
| <b>B. Thu, G. Skjåk-Bræk (Trondheim, Norway), F. Micali, F. Vittur and R. Rizzo (Trieste, Italy)</b>  | 101 | The spatial distribution of calcium in alginate gel beads analysed by synchrotron-radiation induced X-ray emission (SRIXE)   |
| <b>J. Kerékgyártó, Z. Nagy and Z. Szurmai (Debrecen, Hungary)</b>                                     | 107 | Syntheses of spacer-armed carbohydrate model compounds   |
| <b>D. Lafont, P. Boullanger (Villeurbanne, France), F. Carvalho and P. Vottero (Grenoble, France)</b> | 117 | A convenient access to $\beta$ -glycosides of <i>N</i> -acetylglucosamine  |
| <b>J. Murata, T. Kitamoto, Y. Ohya and T. Ouchi (Osaka, Japan)</b>                                    | 127 | Effect of dimerization of the D-glucose analogue of muramyl dipeptide on stimulation of macrophage-like cells  |
| <b>W.-M. Kulicke, A.I. Lettau and H. Thielking (Hamburg, Germany)</b>                                 | 135 | Correlation between immunological activity, molar mass, and molecular structure of different (1 $\rightarrow$ 3)- $\beta$ -D-glucans   |
| <b>H. Maaheimo, J. Rabinä and O. Renkonen (Helsinki, Finland)</b>                                     | 145 | $^1\text{H}$ and $^{13}\text{C}$ NMR analysis of the pentasaccharide $\text{Gal}\beta(1 \rightarrow 4)\text{GlcNAc}\beta(1 \rightarrow 3)-[\text{GlcNAc}\beta(1 \rightarrow 6)]\text{Gal}\beta(1 \rightarrow 4)\text{GlcNAc}$ synthesized by the mid-chain $\beta(1 \rightarrow 6)$ -D- <i>N</i> -acetylglucosaminyltransferase of rat serum |

### Notes

- |  |     |  |
|--|-----|--|
| <b>J. Kerékgyártó, K. Ágoston, G. Batta and Z. Szurmai (Debrecen, Hungary)</b>                           | 153 | Syntheses of spacer-armed carbohydrate components of the <i>Mycobacterium avium</i> serocomplex serovar 8  |
| <b>H.P. Wessel and M. Trumtel (Basel, Switzerland)</b>   | 163 | Pivalates in the selective protection and activation of maltose for the synthesis of sulfated 3-deoxy-maltosyl-(1 $\rightarrow$ 4)- $\alpha, \alpha$ -trehalose                      |
| <b>A. Lubineau, E. Grand and M.-C. Scherrmann (Orsay, France)</b>  | 169 | New access to C-disaccharide analogs of $\alpha, \alpha$ -trehalose using an aqueous hetero Diels–Alder reaction   |
| <b>J.-L. Montero, J.-Y. Winum, A. Leydet, M. Kamal, A.A. Pavia and J.-P. Roque (Montpellier, France)</b> | 175 | A convenient synthesis of peracetylated glycosyl halides using bismuth(III) halides as catalysts   |
| <b>T. Doco, P. Williams, S. Vidal and P. Pellerin (Montpellier, France)</b>                              | 181 | Rhamnolacturonan II, a dominant polysaccharide in juices produced by enzymic liquefaction of fruits and vegetables   |
| <b>M. Kawamura, H. Nakai, T. Uchiyama, Y. Takai and M. Sawada (Osaka, Japan)</b>                         | 187 | Synthesis of methyl 6- <i>O</i> - $\beta$ -inulotriosyl- $\alpha$ -D-glucopyranoside by intermolecular transglycosylation reaction of cycloinulo-oligosaccharide fructanotransferase |

I Announcement

III Instructions to Authors

## v Graphical Abstracts

## Regular Papers

- M.L. Ramos, M.M. Caldeira and V.M.S. Gil (Coimbra, Portugal) 191 NMR study of the complexation of D-galactonic acid with tungsten(VI) and molybdenum(VI)
- Y. Israeli and C. Detellier (Ottawa, Canada) 201 Multinuclear magnetic resonance study of the complexation of lanthanum (III) by D-glucitol and ribitol in aqueous solution
- J.A.L.M. van Dorst, C.J. van Heusden, J.M. Tikkanen, J.P. Kamerling and J.F.G. Vliegthart (Utrecht, The Netherlands) 209 Synthesis of Hexp-(1 → 4)-β-D-GlcpNAc-(1 → 2)-α-D-Manp-(1 → O)(CH<sub>2</sub>)<sub>7</sub>CH<sub>3</sub> probes for exploration of the substrate specificity of glycosyltransferases: Part II, Hex = 3-O-methyl-β-D-Gal, 3-deoxy-β-D-Gal, 3-deoxy-3-fluoro-β-D-Gal, 3-amino-3-deoxy-β-D-Gal, β-D-Gul, α-L-Alt, or β-L-Gal
- A. Terjung, K.-H. Jung and R.R. Schmidt (Constance, Germany) 229 New 2/2-type surfactants via anomeric O-alkylation of mannofuranose
- T. Das and M.S. Shashidhar (Pune, India) 243 Silver (I) oxide assisted O-alkylation of 2,4-di-O-benzoyl-myo-inositol-1,3,5-orthoformate and its 6-O-substituted derivatives: transannular participation of oxygen
- C. Bernlind and S. Oscarson (Stockholm, Sweden) 251 Synthesis of L-glycero-D-manno-heptopyranose-containing oligosaccharide structures found in lipopolysaccharides from *Haemophilus influenzae*
- J.C. Norrild, C. Pedersen and I. Søtofte (Lyngby, Denmark) 261 A highly stereoselective synthesis of 1-amino-2,5-anhydro-1-deoxyhexitols via 2-trifluoromethyl-oxazolinium intermediates
- Y. Kariya, S. Watabe, M. Kyogashima, M. Ishihara (Tokyo, Japan) and T. Ishii (Ibaraki, Japan) 273 Structure of fucose branches in the glycosaminoglycan from the body wall of the sea cucumber *Stichopus japonicus*
- H. Lüttge, T. Heidelberg, K. Stangier, J. Thiem and H. Bretting (Hamburg, Germany) 281 The specificity of an α-(1 → 2)-L-galactosyltransferase from albumen glands of the snail *Helix pomatia*

## Notes

- V. Ragoussis, L. Leondiadis, E. Livaniou and G.P. Evangelatos (Athens, Greece) 289 A simple approach to the synthesis of muramic acid and isomuramic acid: <sup>1</sup>H and <sup>13</sup>C NMR characterisation
- M. Staaf (Stockholm, Sweden), F. Urbina (Huddinge, Sweden; León, Nicaragua), A. Weintraub (Huddinge, Sweden) and G. Widmalm (Stockholm, Sweden) 297 Structure determination of the O-antigenic polysaccharide from the enterotoxigenic *Escherichia coli* (ETEC) O101

## v Graphical Abstracts

## Regular Papers

- Y. Okada, Y. Okazaki, K. Koizumi (Nishinomiya, Japan), K. Hara (Yokohama, Japan) and S. Kitahata (Osaka, Japan) 301 Isolation by HPLC of the positional isomers of 6<sup>1</sup>,2<sup>n</sup>-di-O-α-D-galactopyranosyl-cyclomaltohexaose (n = 1–6) and determination of their structures by enzymatic degradation
- P.M. Coutinho (Ames, IA, USA), M.K. Dowd (New Orleans, LA, USA) and P.J. Reilly (Ames, IA, USA) 309 Automated docking of isomaltose analogues in the glucoamylase active site
- P. Rongved, J. Klaveness and P. Strande (Oslo, Norway) 325 Starch microspheres as carriers for X-ray imaging contrast agents: Synthesis and stability of new amino-acid linker derivatives
- R.P. Bandwar, M.D. Sastry, R.M. Kadam and C.P. Rao (Mumbai, India) 333 Transition-metal saccharide chemistry: synthesis and characterization of D-glucose, D-fructose, D-galactose, D-xylose, D-ribose, and maltose complexes of Co(II)
- R.P. Bandwar and C.P. Rao (Mumbai, India) 341 Transition-metal saccharide chemistry: synthesis and characterization of D-glucose, D-fructose, D-galactose, D-xylose, D-ribose, and maltose complexes of Ni(II)
- R.C. Eerlingen, H. Jacobs, K. Block and J.A. Delcour (Heverlee, Belgium) 347 Effects of hydrothermal treatments on the rheological properties of potato starch
- R.F. Ransom and J.D. Walton (E. Lansing, MI, USA) 357 Purification and characterization of extracellular β-xylosidase and α-arabinosidase from the plant pathogenic fungus *Cochliobolus carbonum*

- T. Akiyama (Sapporo, Japan), N. Shibuya (Ibaraki, Japan), M. Hrmova and G.B. Fincher (Glen Osmond, Australia)** 365 Purification and characterization of a (1 → 3)- $\beta$ -D-glucan endohydrolase from rice (*Oryza sativa*) bran

## Notes

- P. Sedmera, J. Volc, V. Havlíček, S. Pakhomova (Prague, Czech Republic) and A. Jegorov (České Budějovice, Czech Republic)** 375 Structural analysis of crystalline D-erythro-hexos-2,3-diulose (2,3-diketo-D-glucose) prepared enzymatically from D-glucose
- T. Kumazawa, M. Ishida, S. Matsuba, S. Sato and J. Onodera (Yamagata, Japan)** 379 Synthesis of 1-[3,5-bis-(2,3,4,6-tetra-O-acetyl- $\beta$ -D-glucopyranosyl)-2,4,6-trihydroxy-phenyl]ethanone: An intermediate of potential usefulness for synthesis of bis-C-glucosyl flavonoids

III Author Index

V Subject Index

IX Contents



